


|     | PV-0031-01                 |
|-----|----------------------------|
|     | 30*30*1.5mm                |
|     | 1400*320*260mm             |
|     | 8.5kg                      |
|     |                            |
| MOQ | 200                        |
|     | 1430*350*300 00000 2 0/000 |
|     |                            |



# 









#### BIKE RACKS

#### Versatile, Durable, Secure,

Whether you are an architect, developer, local council or homeowner, Embelton Bike Racks offer configurable and secure bike rack solutions, made from the most durable and hardwearing materials. We can assist you in making the most efficient use of your space with a solution that is secure and matches your specific requirements.

Our comprehensive range offers a bicycle parking solution to meet your needs.

#### Architectural & Construction

Our solutions are fully configurable and space efficient. We will assist you with new DA conditions and Green Star requirements to ensure your bike parking facilities are AS2890.3 compliant.

### Local Government, Transport Authority & Education

We can provide you with a flexible, user-friendly and well planned solution to suit the needs of a variety of user groups, including employees, customers, residents and students.

#### **Our Solutions**

Our comprehensive range of bicycle parking solutions offers superior performance by supporting the bicycle frame rather than the wheel, thus allowing locking of the bike frame and wheels to the rack. Our solutions are:

- · Vandal proof & weather resistant
- · Made from the most durable materials
- · Fully welded for vandal resistance
- · Shipped as one piece with no assembly required
- · Inclusive of all fixings
- · Guaranteed for 15 years
- · Compliant with A \$2890.3 guidelines
- · Able to earn Green Star points.

| Suzhou Pioneer Vehicle.Co., Ltd []2000 [][][][][][][][][][][][][][][][][][] |
|---|
|   |
|   |



## 

- 1.00000000000000?

- 3.000000000000000000000000000000000000?
- 4.00000000000?
- 000000000 7 000000000 30 00000