

□□□□

□□□	□□□□□ □□□□ □□□ O □□□ 2 □□□ □□□□□□ □□□□□□□□□□□□□□□□
□□□□□□	PV-0041-01
□□	□□□□□□
□□	□□□□2□
□□	□□□□□□
□□□□	PE □□□□ □□□□ □□□□ □□□□
□□/GW	9.3kg/10.23kg
□□	95 * 15 * 85C Membo□□□□□□□□□□□□
□	□□□□□□□□□□
□□□□	□□□□□□□□□□□□□□□□

□□□□□□:



Handrails are essential for safety and accessibility in public spaces. They provide support and stability for individuals with limited mobility, ensuring they can navigate stairs and ramps safely. Modern handrails, like the one shown, are designed to be both functional and aesthetically pleasing, blending seamlessly with the surrounding environment.

- Handrails should be installed at a height of 1.1m to 1.2m.
- Handrails should be made of non-slip, durable materials like stainless steel or aluminum.
- Handrails should be spaced evenly along the length of the staircase or ramp.
- Handrails should be installed on both sides of the staircase or ramp.
- Handrails should be installed at the top and bottom of the staircase or ramp.
- Handrails should be installed at the start and end of the staircase or ramp.
- Handrails should be installed at the top and bottom of the ramp.
- Handrails should be installed at the start and end of the ramp.
- Handrails should be installed at the top and bottom of the ramp.
- Handrails should be installed at the start and end of the ramp.

