

Bikes on Buses



1 Holding your bike with one hand, grab rack handle.



2 Squeeze handle and pull rack down.



3 Lift bike into rack with front tire facing the support arm.



4 Pull support arm out, up, and over front tire.



5 Your bike is ready to go.

☐☐:

☐☐	☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐☐
☐☐	☐☐☐☐☐/☐☐☐
☐☐ ☐☐.	PV-0082-01
☐☐	140*35.5*51.84CM ☐☐ ☐☐☐.
☐☐	☐☐☐ ☐☐, ☐☐, ☐☐ ☐☐ ☐☐☐.
N.W/G.W	31kg/34kg
☐☐ ☐☐☐☐	1☐☐/☐☐ ☐/☐☐
☐☐	☐☐☐ 2☐
☐☐ ☐☐	☐☐ ☐☐ / ☐☐ ☐☐
☐☐☐☐☐☐	☐☐☐ ☐☐☐ ☐
☐☐ ☐☐	7-12☐

☐☐:

FEATURES

Focus On Quality | Customized Service

We firmly believe that details determine quality, quality determines life



01

Quick and easy to use

Approximately 20 -30 seconds to put your bikes on the rack. Not requiring straps or cords for additional securement.

02

Safe and secure

Made of high quality steel, safe and secure method of holding the bikes in place.



03

Friendly Design

The racks have been designed for the front of buses. Easy to install on the back, and is easy to use regardless of the type of bike being parked.

04

Does Not Interfere the Driver

Does not interfere with bus access panels or windshield wipers.



□□:

□□ □□	* ISO □□
	* 1 □□ □□ □□
	* □□ : □□□□ □□□ 3~5□, □□□□ □□□ 10~15□
	* □□, □□ □ □□ □□□ □□ □□□□ □□.

□□□□ □□:

1. □□□ □□□ □□□ □ □□□□?

-□□□□. □□ □□□□ □□□□ □□ □□□ □□□□ □□□ □□□□□.

2. □□□ □□□ □□ □□□ □□□□ □□ □ □□□□?

-□□ □□□□ □□□ □□ □□□□ □□□ □□□□ □□□□.

3. □□□ □□□ □□□ □ □□□?

-□□□ □□□ □□□□□! □□□ □□□ □ □□ □□□ □ □□□ □□□ □□□ □□□ □□□ □□□ □□□.

4. □□□ □□□□□ □□□□□?

-□□□□□ □□□ □□ 7□□□, □□ □□□ □□ 30□□□□ □□□□□.