

## Description

Product Name	china best bike rack manufacturer
Material	carbon steel/stainless steel
Size	1700*3600*2600mm
Capacity	10 bikes or more
Finish	Powder coated ,hot-galvanized/electric polish
Packing	Iron frame
MOQ	10 Sets
OEM/ODM	offered

The visibility of the bike rack, adequate spacing from automobile parking and pedestrian traffic weather coverage, and proximity to destinations are all important factors determining usefulness of a bicycle rack.

These factors will help increase usage of the bike rack and assure cyclists their bike is securely parked

## Features & Benefits

- Bike racks can be constructed from a number of different materials
- Durability, weather resistance, appearance, and functionality are extremely important variables of the material of the bike rack bike racks can be implemented near fast food restaurants, parks, picnic areas or other similar places
- The most effective and secure bike racks are those that can secure both wheels and the frame of the bicycle, using a bicycle lock.

## Warranty:

### Lifetime Warranty

When we say "We bring the power of cycling to life, we mean it". Talk's cheap. That's why you'll see lifetime warranties on our Suzhou Pioneer racks. Not three years, not five, but for as long as the original buyer owns it. Because we firmly believe that cycling is a lifetime sport. So why settle for anything less from t

he equipment that helps you enjoy it.

## Official Warranty Term

Suzhou Pioneer vehicle Co.,Ltd, arrants our product to the original consumer to be free from defects inm aterials and workmanship. Please retain your sales slip for your records as proof of purchase will be required.

## Warranty Term

Auto Racks: As long as you own product

We are looking forward to cooperation with you!

Any inquiry is welcome!

Part No	Part Name	parts specification	quantity (pc)
1	Flange	Ø300*t6	2
2	reinforcing plate	100*70*t5	4
3	connecting plate	20*80*t5	16
4	mainboard	250*1800*t3	2
5	stand column	Ø60*t3	4
6	Liang support circular tube	Ø100*t3	2
7	Liang square tube in the middle	Ø40*t2.5	2
8	Liang lateral bracing tube	Ø50*t2.5	2
9	connecting plate	100*200*t5	2
			4
PV-5C bike rack mate	Size :W140*D30*H26CM	Size :W140*D30*H26CM	
	Squaretube:30*30*2mm , Round Rube:16*1.5mm . Net weight:7.1Kg	Squaretube:30*30*2mm , Round Rube:16*1.5mm . Net weight:7.1Kg	
surface treatment	hot galvanized and powder coating		

