

Description:

Product	Outside Electric Detachable Bike Rack Floor Stand
Material	Stainless / Carbon steel
Model number:	PV-0086-01
To measure	181*36*36CM or customized.
Color	Chips, black, white or customized.
N.W / G.W.	5.6kg /5.72kg.
Packaging details	1 set / Wrap / cardboard
Capacity	Floor Bike Rack 5 Stand
Surface treatment	Galvanized / Powder coated
Application	commercial bike rack
Sampling time	7-12 days


Features of Outside Bike Racks:

1, Outside bike racks are designed with weather-resistant materials such as stainless steel, aluminum, or coated steel to withstand outdoor elements like rain, snow, and UV exposure. This

ensures durability and longevity, even in harsh climates.

- 2,Security features in bike racks can include built-in locking mechanisms, compatibility with bike locks, or design elements that make it difficult for thieves to tamper with or remove bikes. Some racks also offer options for securing both the frame and wheels of the bike.
- 3, Outdoor Floor Bike racks vary in their capacity to hold bikes, with some accommodating a single bike per rack and others designed for multiple bikes. Spacing between individual rack slots or bars is also important to ensure bikes can be parked without interfering with each other.

Details:



Warranty:

	* ISO approved
Quality	* 1 year warranty
II I	* Rust-proof: 3-5 years for powder coated products and 10-15 years for galvanized products.
	* Stable orders for the North America, Europe and Australia market.

FAQ:

- $1.. Can \ prints \ our \ logo \ on \ the \ products?$
- -Yes of course. Give me your logo image and tell us your needs, your logo will be perfectly shown on it.
- 2. Can we do our design on the package?
- -Sure, most of our customers use their self-designed packaging.
- 3. If we can change some changes to your products?
- -Isomization is welcome! We are pleased to help you make the best products and protect your design.
- 4. What is your delivery time?
- -Nmamally 7 working days for the sample, 30 working days for mass production.