

Bikes on Buses



1. Holding your bike with one hand, grab rack handle.



2. Squeeze handle and pull rack down.



3. Lift bike into rack with front tire facing the support arm.



4. Pull support arm out, up, and over front tire.



5. Your bike is ready to go.

□□□

1.□□□	□□□□□□□□□□□□□□ Hitch Carrier Trunk Mount □□□□
2.□□□	□□□□□□□□□□□□
3.□□□	160*83*24CM □□□□
4.□□	□□□
5.□□□	□
6.□□	□□/□□
7.□□□	130 □□□□□□□□□□
8.□□□□□	7□
9.□□□□□	□□□□□□□□□□□□□□ □□□□□□ □□□□□□□□
10.□□□□□	□□□
11.□□□□□□	20ft□□□□□30-45□□ 40□□□□□□45-60□□
12.□□	□□□19.9KG □□□21.2KG

□□□

Bus Bike Rack



□□□□

□□□□	* ISO □□
	* 1□□□
	* □□□□□□□□3-5□□□□□□10-15□□
	* □□□□□□□□□□□□□□

□□□□□

1.□□□□□□□□□□□□□□

-□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

2.□□□□□□□□□□□□

-□□□□□□□□□□□□□□□□□□□□

3. 00000000000000000000

-00000000000000000000000000000000

4. 000000000000

-0000000 7 000000000000 30 000000